



DIGITAL MEDIA TEXTILES

Technical Specifications

Océ Imaging Supplies has partnered with Krea Technische Textilien GmbH to expand and complement our evolving portfolio of printable textiles.

Krea Textiles combines 30 years of “know-how” and German engineering in the development and production of digitally printable textiles.

Krea produces product in a fully integrated, in-house production facility, beginning with the weaving and knitting of the yarn through all stages of production.

Krea’s production process conforms to REACH standards, which are free of PVC and solvents.

Krea’s portfolio includes products for dye-sublimation transfer and dye-dispersed, UV-curable, and latex printing.

To Get More Information

Canon Solutions America is the exclusive distributor of Krea Textiles in the US Market. To get product information call **1-800-323-4827** or visit ocesuppliesoc@csa.canon.com

Flag/1100-11

Flag is a perfect media to create a variety of short terms, attention grabbing promotional flags and lightweight banners. The Flag weave is designed to move with the wind making this a perfect fabric for boulevard and car flag applications.

| | |
|-------------------|--|
| Media: | 100% Polyester |
| Weight: | 115 g/m ² |
| Thickness: | 12 mil |
| Finishing: | Cold cut |
| Width: | 63", 102", 126" |
| Whiteness: | >150 |
| Use: | Flag |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |



Print inside / outside

Soundless Tissue / 2018-11

Soundless Tissue is a unique, technical textile that can be used in many environments where additional and unwanted noise can be a distraction. Soundless Tissue is a noise reduction, acoustic media and has a unique 3-D texture. The 3-D texture is designed to break the soundwave; therefore, it is more effective in reducing sound as a stand alone product and even more effective when combined with noise reducing baffling.

Create functional graphics for environments such as enclosure acoustical improvement, chatter-reducing wallcovering, ceilings, and artwork.

| | |
|-------------------|--|
| P/N: | K20181122 (122") and K20181161 (61") |
| Media: | 100% Polyester |
| Weight: | 220 g/m ² |
| Thickness: | 30 mil |
| Finishing: | Cold cut |
| Width: | 61", 122" |
| Whiteness: | >150 |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |




Print inside / outside

Speedy Hybrid / 913-11

Speedy Hybrid is a versatile and cost effective media that is compatible with a variety of technologies.

Create beautiful frontlit and backlit graphics including lightboxes, tents, umbrellas, blow-ups, tablecloths, frontlit/backlit SEG frame systems.

| | |
|-------------------|--|
| P/N: | K91311126 (126") and K9131163 (63") |
| Media: | 100% Polyester |
| Weight: | 190 g/m ² |
| Thickness: | 9 mil |
| Finishing: | Cold cut |
| Width: | 63", 126" |
| Whiteness: | >100 |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |



Print inside / outside

Micro-satin Universal / 1007-12

Micro-satin Universal is a proven backlit solution. Its soft-hand and excellent crease recovery make this the go-to product for backlit applications. Micro-satin Universal achieves eye-popping, high-saturation images with lower ink coverage, but is able to hold higher ink limits without transfer (when properly cured).

Create beautiful frontlit and backlit graphics including lightboxes and frontlit/backlit SEG frame systems.

| | |
|-------------------|--|
| P/N: | K100712122 (122") and K10071260 (61") |
| Media: | 100% Polyester |
| Weight: | 165 g/m ² |
| Thickness: | 8 mil |
| Finishing: | Cold cut |
| Width: | 63", 126" |
| Whiteness: | >120 |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |



Print inside / outside

Subli-Blackback / 1055-16

Subli-Blackback is a superior opaque fabric solution. Subli-Blackback has a bright, knit face with a opaque, black backing. Unlike other blackback products, Subli-Blackback achieves bright, eye-popping images.

Create beautiful frontlit graphics including frontlit SEG frame systems, frontlit banners, retractable banner stands, blackout banners.

| | |
|-------------------|--|
| P/N: | K105516122 (122") and K10551661 (61") |
| Media: | 100% Polyester |
| Weight: | 320 g/m ² |
| Thickness: | 15 mil |
| Finishing: | Cold cut |
| Width: | 61", 122" |
| Whiteness: | >130 |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |




Print inside / outside

Sub-rollup Greyback / 1066-16

Sub-rollup Greyback is a superior opaque fabric solution. Sub-rollup Greyback has a bright, woven face with an opaque, grey backing. Unlike other opaque products, along with the Subli-Blackback, Sub-rollup Greyback achieves bright, eye-popping images. The grey backing achieves a more subtle look when the backing is exposed in banners or retractable displays.

Create beautiful frontlit graphics including frontlit SEG frame systems, frontlit banners, retractable banner stands, blackout banners.

| | |
|-------------------|--|
| P/N: | K106616122 (122") and K10661661 (61") |
| Media: | 100% Polyester |
| Weight: | 305 g/m ² |
| Thickness: | 14 mil |
| Finishing: | Cold cut |
| Width: | 61", 122" |
| Whiteness: | >140 |
| FR: | DIN 4102 B1 / NFPA 701 / BS 5867 Part 2 Type B |



Print inside / outside

| Canon Item # | Official Item Description | Width | Length |
|--------------|----------------------------------|-------|--------|
| K11001163 | Krea Flag 115gsm #1100 | 63" | 109 LY |
| K110011102 | Krea Flag 115gsm #1100 | 102" | 109 LY |
| K10551661 | Krea Sub Black Back #1055 | 61" | 55 LY |
| K105516122 | Krea Sub Black Back #1055 | 122" | 55 LY |
| K10661661 | Krea Sub Roll Grey Back #1066 | 61" | 55 LY |
| K106616122 | Krea Sub Roll Grey Back #1066 | 122" | 55 LY |
| K100712126 | Krea Micro Satin Universal #1007 | 126" | 82 LY |
| K91311126 | Krea Speedy Hybrid #913 | 126" | 109 LY |
| K20181161 | Krea Soundless 220gsm #2018 | 61" | 55 LY |
| K201811122 | Krea Soundless 220gsm #2018 | 122" | 55 LY |

Canon

CANON SOLUTIONS AMERICA

Océ Imaging Supplies

100 Park Blvd., Itasca, IL 60143

P: 1-800-323-4827 | F: 1-800-351-0085

ocesuppliesoc@csa.canon.com CSA.CANON.COM

We recommend that you test the material with your specific printer and set of inks for final application consideration.